



INDEX MAPS.

T 27N, R. 5 E. 2nd Mer.



T. 28N R. 5 E. 2nd Mer.



The figures on the lines refer to the page.

189

Township N. 28 North, Range N. 5 East 2. Mer. Ind.?

Township Lines.

Ch. & Co. South Boundary. Var. 6.00' E.

Set post on the E. side of Indian Reservation of
5 miles wide from Wabash to Oel River, from wh.
a Beech 12 in. dia. bears N 24° W 12 Mr. dist. 2
a Do 18 " " " S 22° E 48 " " Thence:

East on the S. Boundary of Sec. 32

26.84 a Beech 18 in. dia.

28.39 set post cor. of sec. 32 & 33 from which

a Beech 13 in. dia. bears N 52° W 51 Mr. dist. 4
a B. Ash 4 " " " N 65° E 40 " "

East on the S. Boundary of Sec. 33

21.90 a Beech 20 in. dia.

40.00 set gr. sec. post from which

a Beech 17 in. dia. bears N 86° W 54 Mr. dist. 4
a B. Ash 9 " " " N 88° E 12 " "

50.05 a Poplar 22 " "

80.00 set post cor. of sec. 33 & 34 from which

a Beech 8 in. dia. bears N 43° W 24 Mr. dist. 8
a B. Walnut 3 " " " N 6° E 5 " "

East on the S. Boundary of Sec. 34

30.24 a Beech 24 in. dia.

40.00 set gr. sec. post from which

a B. Ash 10 in. dia. bears N 73° W 38 Mr. dist. 8
a Sugar 22 " " " N 41° E 30 " "

60.72 an Elm 20 " "

80.00 set post cor. of sec. 34 & 35 from which

a Lym 5 in. dia. bears N 51° W 44 Mr. dist. 8
a Beech 6 " " " N 25° E 16 " "

East on the S. Boundary of Sec. 35

25.94 a B. Ash 11 in. dia.

40.00 set gr. sec. post from which

a S. Ash 6 in. dia. bears N 65° W 37 Mr. dist. 8

T. 28 N., R. 5 E. 2^d Mer. Ind.^a
 Ch. Lk.

a S. Ark 4 in. dia. bears N 38 E 44 krs. dist.
 66.68 an Elm 14 " "
 80.00 set post cor. of sec. 35 & 36 from which
 a Beech 9 in. dia. bears N 80 W 27 krs. dist. &
 a Poplar 20 " " " N 48 E 15 " "

East on the S. Boundary of Sec. 36

26.30 a Beech 12 in. dia.

40.00 set q. sec. post from which

a Beech 13 in. dia. bears N 49 W 33 krs. dist. &

a Do 18 " " " N 84 E 56 " "

56.76 a B. Ark 12 " "

80.00 set post cor. of T. 27 & 28 N., R. 5 & 6 E. from wh.

a Hickory 20 in. dia. bears S 81 W 59 krs. dist. &

an Elm 15 " " " N 68 E 12 " "

Level & 2^d rate. Timber Beech, Ark & Oak

Ulp. Ironwood, Sugar & Spice

October 26. 1827. David Hillis

Deputy Surveyor.

East Random on S. Boundary of Sec. 31

12.00 enter Swamp, S.

15.00 leave "

40.00 set temp. q. sec. post

40.40 a Road, NW

65.00 enter dismal Swamp, NW

80.00 set temp. post for cor. of sec. 31 & 32

Flat 2^d rate land & Swamp. Timber Ark, Elm,

Maple, Gum, Willow &c. Ulp. Spice, Willow &c.

East Random on S. Boundary of Sec. 32

7.50 leave Swamp

40.00 set temp. q. sec. post

42.70 Intersect E. Boundary of Purchase precisely at
 post in S. Boundary of Sec. 32.

Level 2^d rate land. Timber Beech, Ark, Oak, Poplar

T. 28 N., R. 5 E. 2^d Mer. Ind.^a
Chas. D. K.

W. Upr. Spruce &c.

West blazed back from corner in E. Boundary of Purchase
on S. Boundary of Sec. 32

0.75 a W. Elm 19 in. dia.

11.01 set g. sec. post from which

a Beech 19 in. dia. bears N 62 E 7 1/2 Mts. dist. 2

a Do 11 " " " N 62 W 26 " "

12.44 a Beech 28 " "

17.01 a W. Elm 30 " "

51.01 set post cor. of sec. 31 & 32 from which

a Willow 8 in. dia. bears N 19 E 10 Mts. dist. 2

a Maple 4 " " " N 66 W 38 " "

West on the S. Boundary of Sec. 31

16.11 a B. Ash 14 in. dia.

26.26 a W. Elm 7 " "

40.00 set g. sec. post from which

a Hickory 10 in. dia. bears N 45 E 15 Mts. dist. 2

a Sugar 12 " " " N 71 W 40 " "

45.06 a Beech 12 " "

47.48 a Spruce 34 " "

71.09 set post cor. of T. 27 & 28 N., R. 4 & 5 E. from which

a W. Oak 30 in. dia. bears N 11 W 23 Mts. dist. 2

a Beech 19 " " " S 84 E 33 " "

December 27, 1838. Arthur St. C. Vance

Deputy Surveyor.

East Boundary. Var. 6.00 E.

North on the E. Boundary of Sec. 36

36.91 an Elm 10 in. dia.

40.00 set g. sec. post from which

a S. Ash 18 in. dia. bears S 87 W 10 Mts. dist. 2

a Maple 9 " " " N 61 W 28 " "

54.91 a Beech 18 " "

80.00 set post cor. of sec. 25 & 36 from which

Chr. Lks.

T. 28 N., R. 5 E., 2^d Mer. Ind.

algray Ash 18 in. dia. bears N 88° W 15 Mk. dist. 7,

a B. Ash 5 " " " S 37° W 21 " "

Level wet inferior 2^d rate land. Timber ash, Beech,
Elm, Oak, Hickory & Upr. Ash, Spice &c.

North on the E. Boundary of Sec. 25

40.00 set of sec. post from which

a Beech 24 in. dia. bears N 40½° W 26 Mk. dist. 8,

an Ironwood 4 " " " S 9° W 100 " "

40.72 a Hickory 28 " "

51.26 an W. Oak 36 " "

57.50 a Branch 6 Mk. wide course E N E

70.50 a Swamp 2 Lks. wide

72.50 an W. Oak 20 in. dia.

80.00 set post cor. of sec. 24 & 25 from which

a B. Ash 30 in. dia. bears N 71° W 9 Mk. dist. 8,

an W. Elm 22 " " " S 53½° W 26 " "

Level wet 2^d rate land. Timber Beech, Elm, Ash,
Hickory & Upr. Spice, Ash, Willow &c.

North on the E. Boundary of Sec. 24

0.50 enter Pond

3.00 leave "

40.00 set of sec. post from which

algray Ash 16 in. dia. bears S 44° W 15 Mk. dist. 8,

a Hickory 16 " " " N 28½° W 56 " "

40.50 a Stream 25 Mk. wide course SW

44.50 a Branch 4 " " " SW

77.50 a Do 15 " " " W SW

80.00 set post cor. of sec. 13 & 24 from which

a Water Beech 4 in. dia. bears S 20° W 12 Mk. dist. 8,

a Beech 6 " " " N 31° W 43 " "

Part level wet 2^d rate, part rolling 2^d rate land.Timber Beech, Ash, Elm, Sugar, Hickory, W. Oak
& Upr. Ironwood, Sugar, Water Beech, Spice &c.

Chs. Lks. T. 28 N., R. 5 E. 2.^d Mer. Ind.^a

North on the E. Boundary of Sec. 13

15.70 a Branch 6 lks. wide course SE

20.70 a Beech 20 in. dia.

30.50 a Swamp, offset West 4.00 lks.

38.00 reduced offset

40.00 set of sec. port from which

a B. Ark 16 in. dia. bears S 59° W 5 lks. dist. 2

a Buckeye 10 " " " N 40° W 40 " "

43.50 enter Swamp, E & W

46.50 leave "

52.50 enter " E & W

62.50 leave "

75.28 a W. Elm 18 in. dia.

80.00 set port cor. of Secs. 12 & 13 from which

a W. Elm 30 in. dia. bears S 32° W 13 lks. dist. 4

a Gray Ark 4 " " " N 13° W 40 " "

Level wet 2.^d rate land. Timber Elm, Ark, Maple,
Beech, Oak & V. Upr. Ironwood, Sugar, Hickory,
Willow &c.

North on the E. Boundary of Sec. 12

40.00 set of sec. port from which

a Beech 6 in. dia. bears N 36½° W 26 lks. dist. 4

a R. Oak 6 " " " S 48° W 21 " "

53.25 a Spring branch 4 lks. wide course WSW

55.00 a Stream 50 lks. wide course WSW

71.40 a Beech 12 in. dia.

80.00 set port cor. of Secs. 10 & 12 from which

a Gum 4 in. dia. bears N 80½° W 12 lks. dist. 3

a Beech 4 " " " S 5° W 13 " "

Rolling 2.^d rate land. Timber Beech, Sugar,
Ark, Elm, Poplar, Hickory & V. Upr. Spice, Ark,
Ironwood &c.

North on the E. Boundary of Sec. 1

22.50 Outlet of a Pond 6 lks. wide course SE

194

T. 28 N., R. 5 E. 2. Mer. Ind.^a

Ch. 1. 1st.

37.30 a Poplar 22 in. dia.

40.00 set of sec. part from which

a Gray Ash 10 in. dia. bears N 16° W 30° W. dist. 8

and Ironwood 6 " " " S 40° W 8 " "

50.50 a Swamp

54.00 leave "

63.17 a Beech 16 in. dia.

90.88 to line between T. 28 & 29 N.

Level wot 2^d rate land. Timber Beech, Ash,

Elm, Hickory, Sugar &c. May 4. 1828

Thomas Brown Dep. Surv.

North Boundary. Var. 6.00' E.

West on the S. Boundary of Sec. 36, T 29 N., R 5 E

28.54 a Beech 18 in. dia.

40.00 set of sec. part from which

a Beech 7 in. dia. bears N 81° W 69° W. dist. 8

a Buckeye 4 " " " N 10° E 23 " "

57.16 a Beech 12 " "

80.00 set part cor. of sec. 35 & 36 from which

a Beech 10 in. dia. bears N 63° E 26° W. dist. 8

a Do 8 " " " N 71° W 27 " "

West on the S. Boundary of Sec. 35, T 29 N., R 5 E

17.42 a Bur Oak 22 in. dia.

40.00 set of sec. part from which

a Blue Ash 24 in. dia. bears N 22° E 17° W. dist. 8

a Hickory 12 " " " N 73° W 37 " "

60.64 a cherry 15 " "

78.86 set part on left bank of Ed. River from which

a Hackberry 6 in. dia. bears N 83° W 2° W. dist. 8

a Do 7 " " " S 65° W 4 " "

80.00 cor. of sec. 34 & 35 in River.

Land 1st rate. November 16. 1827

David Willis, Dep. Surv.

195

T. 28 N., R. 5 E. 2^d Mer. Ind. a^d
Ch. Ch.

Beginning at post on left bank of Eel River
78.84 Ch. from cor. of Sec. 35 & 36, thence:
West on S. Boundary of Sec. 35, T 29 N, R 5 E
1.16 to corner of Sec. 34 & 35 in Eel River. Var. 6.20 E.

West on the S. Boundary of Sec. 34, T 29 N, R 5 E
4.83 to a Sugar 8 in. dia. corner tree on right bank
of Eel River

22.50 a Sugar 4 in. dia.

40.00 set of sec. post from which

a Sugar 8 in. dia. bears N 26° W 30 Ws. dist. 4

a Do 10 " " " N 71° E 81 " "

45.00 Indian Wigwags 3 in number just to S. of line

57.78 a Sugar 14 in. dia.

70.00 a Brook 6 Ws. wide course SW

80.00 set post cor. of sec. 33 & 34 from which

a Beech 14 in. dia. bears N 85° E 57 Ws. dist. 8

a Do 16 " " " N 62° W 35 " "

Land gently rolling & 1st rate. Timber Beech,
Sugar, Ash, Oak & Elm. Upr. same.

West on the S. Boundary of Sec. 33, T 29 N, R 5 E

18.73 a Beech 10 in. dia.

40.00 set of sec. post from which

a Beech 12 in. dia. bears N 54° E 51 Ws. dist. 4

a Do 10 " " " N 67° W 52 " "

65.04 a W. Oak 12 " "

80.00 set post cor. of sec. 32 & 33 from which

a Ironwood 6 in. dia. bears N 40° E 29 Ws. dist. 8

a Beech 14 " " " N 52° W 59 " "

Land &c. much same as last described.

West on the S. Boundary of Sec. 32, T 29 N, R 5 E

23.06 a Hickory 8 in. dia.

40.00 set of sec. post from which

a Beech 18 in. dia. bears N 66° E 15 Ws. dist. 4

196

T. 28 N., R. 5 E. 2^d Mer. Ind.^a

Chr. Sk.

a Beech 10 in. dia. bears N48°W60th Mer. dist.
 65.05 a B. Oak 28 " "
 80.00 set post cor. of sec. 31 & 32 from which
 a Sup. W. Oak 12 in. dia. bears N67°E22th Mer. dist. 8
 a Do 8 " " " N48°W24 " "
 Land &c. same as last described

West on the S. Boundary of Sec. 31, T29 N., R5 E

19.79 a Beech 12 in. dia.

40.00 set of sec. post from which

a Beech 8 in. dia. bears N26°W40th Mer. dist. 8

a Do 9 " " " N47°E37 " "

57.04 a Sycamore 8 in. dia.

57.50 enter Marsh

67.00 leave "

71.00 set post cor. of T. 28 & 29 N., R. 4 & 5 E. from which

a Beech 16 in. dia. bears S29°W17th Mer. dist. 8

a Do 7 " " " N53°W45 " "

Land &c. same as last described.

West Boundary. Var. 6th 10' E.

South in the E. Boundary of Sec. 1, T28 N., R4 E

18.48 a Beech 8 in. dia.

40.00 set of sec. post from which

a Beech 14 in. dia. bears N29°W25th Mer. dist. 8

a Do 14 " " " S58°W57 " "

68.00 a Beech 10 " "

80.00 set post cor. of Sec. 1 & 12 from which

a Beech 12 in. dia. bears N50°W79th Mer. dist. 8

a Do 18 " " " S54°W50 " "

Land gently rolling & fertile. Timber Beech,
 Sugar, Ash, Elm, Gum &c. Upr. much same

South on the E. Boundary of Sec. 12, T28 N., R4 E

13.00 a Brook 10 Mer. wide course SW

18.97 a Whitewood 20 in. dia.

T. 28 N., R. 5 E. 2^d Mer. Ind. a

Ch. 9th

25.00 a Brook 10 Ws. wide course SE

29.00 same Brook " SW

36.00 Do " SE

40.00 set of sec. part from which

a Beech 16 in. dia. bears N 26° W 30 Ws. dist. 8

a Do 8 " " " S 47° W 19 " "

61.16 a Sugar 12 " "

80.00 set part cor. of sec. 12 & 13 from which

a Beech 14 in. dia. bears S 85° W 40 Ws. dist. 8

a Do 22 " " " N 5° W 44 " "

Land &c. same as last described.

South on the E. Boundary of Sec. 13, T 28 N., R 4 E

18.24 a Beech 7 in. dia.

40.00 set of sec. part from which

a Beech 6 in. dia. bears N 17° W 18 Ws. dist. 8

a Do 7 " " " S 80° W 19 " "

80.00 set part cor. of sec. 13 & 24 from which

a Buckeye 8 in. dia. bears N 46° W 22 Ws. dist. 8

a Lycamore 20 " " " S 88° W 54 " "

Land &c. same as last described.

South on the E. Boundary of Sec. 24, T 28 N., R 4 E

40.00 set of sec. part from which

a W. Oak 10 in. dia. bears S 53° W 6 Ws. dist. 8

a Buckeye 6 " " " N 19° W 7 " "

46.50 to a Gum 9 in. dia. corner tree on right bank of Eel River. Var. 5° 30' E.

Surveyed in 1834 by Sylvester Sibley
Dep. Surveyor.

North on the E. Boundary of Sec. 36, T 28 N., R 4 E

2.07 a Red Oak 30 in. dia. Var. 5° 55' E

9.95 a Hickory 18 " "

20.50 a Sugar 36 in. dia.

40.00 set of sec. part from which

Chr. Chr. T. 28 N., R. 5 E. 2. Mer. Ind.^a

a Sugar 5 in. dia. bears S 22 W 7 1/2 krs. dist. 3
 a Cherry 3 " " " N 60 E 25 " "
 51.60 a Road, SE
 54.88 a Beech 20 in. dia.
 70.04 a Do 22 " "
 80.00 set part cor. of sec. 25 & 36 from which
 a Beech 14 in. dia. bears S 16 W 4 1/2 krs. dist. 2
 a Do 26 " " " N 33 W 4 1/2 " "
 Rolling State land. Timber Beech, Ash,
 Sugar & Upr. Spice, Hawth, Sugar &.

North on the E. Boundary of Sec. 25, T 28 N., R 4 E

8.43 a W. Elm 30 in. dia.
 21.54 a Do 30 " "
 30.13 a Beech 20 " "
 35.00 enter Willow Pond
 40.00 set of sec. part (leave Pond) from which
 a W. Elm 12 in. dia. bears S 32 E 2 krs. dist. 8
 a Pop. Ash 10 " " " N 72 W 14 " "
 40.33 a Lycamore 24 " "
 54.08 a Beech 24 " "
 63.11 a Do 22 " "
 71.42 a Do 28 " "
 80.00 set part cor. of sec. 24 & 25 from which
 a double Buckeye 24 in. dia. bears S 29 W 5 1/2 krs. dist. 8
 a Beech 19 " " " N 44 W 30 " "
 Level State land. Timber Beech, Sugar, Ash,
 Elm, Buckeye, Walnut & Upr. Spice, Pawpaw &.

North on the E. Boundary of Sec. 24, T 28 N., R 4 E.

11.10 a Beech 24 in. dia.
 16.55 an Indian trace, NE
 21.90 a W. Elm 10 in. dia.
 30.35 a Hickory 10 " "
 37.11 an Elm 28 " "
 40.00 set of sec. part from which

Ch² & W² T. 28 N., R. 5 E. 2^d Mer. Ind. 199

a Hackberry 9 in. dia. bears S 28° W 17 lks. dist. &
a Do 4 " " " N 26° W 34 " "
45.13 set post on left bank of Oel River from which
a Sycamore 12 in. dia. bears S 39° W 36 lks. dist. &
a Sugar 6 " " " S 62° E 66 " " &
a Sycamore 12 " " " S 15° W 75 " "
Gently rolling 2^d rate land. Timber same as last
described. Measured over Oel River to Lynn
corner tree in right bank in line of former survey
5.50 Ch² bearing N 42½° E.
January 5. 1839. Arthur A. C. Vance
Deputy Surveyor.

Subdivision. Var. 6.00. E.

North between Sec. 35 & 36

25.35 a W. Elm 16 in. dia.

40.00 set q. sec. post from which

a Lynn 5 in. dia. bears N 22½° W 11 lks. dist. &

a Hickory 8 " " " S 25° E 20½ " "

64.50 a Sugar 18 " "

80.00 set post cor. of sec. 25, 26, 35 & 36 from which

a Beech 12 in. dia. bears N 54° W 9 lks. dist. &

a Do 22 " " " S 73° E 25 " "

Level wet 2^d rate land. Timber Beech, Ash,
Elm, Lynn, Oak, Sugar & Upr. Spice, Ash,
Junewood, Dogwood &c.

East on Raudon between Sec. 25 & 36

24.50 a Branch 6 lks. wide course N.

40.00 set temp. q. sec. post

49.75 a Branch 4 lks. wide course N E

60.00 enter Buttonwood Pond

62.50 leave the same

80.34 Intersect E. Boundary 35 lks. S. of post -
(Description of land &c. omitted)

T. 28 N., R. 5 E. 2. Mer. Ind. a

Chas. Lk.

West Corrected between Sec. 25 & 36

20.34 a Gray Ash 14 in. dia. on true line

40.17 set q. sec. post at aver. dist. from which
a Beech 8 in. dia. bears S 30 E 13 Mk. dist. 8
a Gray Ash 8 " " " N 7 1/2 W 6 " "

59.90 a Beech 14 " " on true line

80.34 to sec. cor.

North between Sec. 25 & 26

24.34 a Gray Ash 24 in. dia.

40.00 set q. sec. post from which
an Ironwood 5 in. dia. bears S 63 1/2 W 25 Mk. dist. 8
a Hickory 18 " " " N 78 E 13 " "

64.25 a Sugar 22 " "

80.00 set post cor. of sec. 23, 24, 25 & 26 from which

a Beech 24 in. dia. bears N 55 E 10 1/2 Mk. dist. 8

a Cherry 3 " " " S 10 W 18 " "

Level 2. rate land. Timber Beech, Sugar, Ash,
Elm, Oak, Poplar, Lym V. Upr. Sugar, Spice,
Ash, Hickory, Ironwood &c.

East in Standon between Sec. 24 & 25

9.25 a Branch 6 Mk. wide course N.

33.50 a dead running stream 8 Mk. wide course N.

A large Swamp in view.

40.00 set temp. q. sec. post

77.50 a Buttonwood Swamp

79.50 leave the same

80.39 Intersect E. Boundary 13 Mk. N. of post -

Level wet 2. rate land. Timber Ash, Elm, Sugar,
Oak, Hickory, Beech &c. Upr. Sugar, Spice, Ash,
Ironwood

West Corrected between Sec. 24 & 25

19.65 a W. Elm 10 in. dia. on true line

40.19 set q. sec. post at aver. dist. from which

T. 28 N., R. 5 E., 2^d Mer. Ind. a.
 8th. 9th.

a B. Ash 22 in. dia. bears N 24 W 19 lks. dist. &
 a Do 10 " " " S 28 E 11 " "
 60.14 a W. Oak 48 " " on true line
 80.39 to sec. cor.

North between Sec. 23 & 24

18.00 a Branch 8 lks. wide course NW
 18.57 a W. Elm 22 in. dia.
 40.00 set g. sec. post from which
 a Water Beech 8 in. dia. bears N 67 E 10 lks. dist. &
 a Buckeye 14 " " " S 69 W 18 " "
 40.00 cut W. bend of a stream 30 lks. wide
 50.00 same stream course NW
 65.14 a Hickory 22 in. dia.
 80.00 set post cor. of sec. 13, 14, 23 & 24 from which
 a Bur Oak 24 in. dia. bears S 22 W 11 lks. dist. &
 a Gray Ash 18 " " " N 38 E 31 " "
 Level wet 2^d rate land. Timber Beech, Hickory,
 Elm, Ash, Oak, Wls. Black Haul, Hornwood,
 Ash, Sugar, Hickory, Spice &c.

East on Random between Sec. 13 & 24

40.00 set temp. g. sec. post
 80.48 Intersect E. Boundary 23 lks. N. of post—
 Level wet 2^d rate land. Timber & Wls. same

West Connected between Sec. 13 & 24

40.24 set g. sec. post at aver. dist. from which
 a Beech 14 in. dia. bears N 27 E 14 lks. dist. &
 a Gray Ash 18 " " " S 29 W 15 1/2 " "
 59.58 a Beech 24 " " on true line
 80.48 to sec. cor.

North between Sec. 13 & 14

5.50 a Branch 4 lks. wide course WNW
 22.25 a Do 6 " " " SW

T. 28 N., R. 5 E. 2^d Mer. Ind.^a

Ch. Ch.

- 22.38 a W. Elm 24 in. dia.
 40.00 set q. sec. post from which
 a Beech 14 in. dia. bears S 87° E 19 W. dist. 28
 a Do 4 " " " N 87 1/2° W 22 " "
 55.50 a large Swamp bears E.
 60.04 a gray Ash 24 in. dia.
 80.00 set post cor. of sec. 11, 12, 13 & 14 from which
 an Ironwood 8 in. dia. bears N 19 1/2° E 27 W. dist. 4
 a gray Ash 10 " " " S 28° W 19 " "
 Level 2 rate land. Timber Beech, Ash, Sugar
 Elm, Gum, Hickory & Upr. Spice, Sugar, Ironwood &c.

East on Random between Sec. 12 & 13

- 1.00 a Spring branch 5 Ws. wide curve N.
 20.50 a Do 3 " " " NW
 25.00 a Branch 4 " " " NW
 40.00 set temp. q. sec. post
 53.50 a Spring curve NE
 59.25 a Spring branch, curve NW
 80.80 Intersect E. Boundary 11 Ws. S. of post —
 Part level, part rolling 2 rate land. Timber
 Beech, Ash, Elm, Sugar, Poplar & Upr. Spice,
 Ash, Sugar, Hickory, Elm, Ironwood &c.

West Corrected between Sec. 12 & 13

- 20.35 a Beech 16 in. dia. on true line
 40.40 set q. sec. post at aver. dist. from which
 a Beech 10 in. dia. bears N 56° W 20 W. dist. 8
 a Do 8 " " " S 34° E 8 " "
 61.80 a B. Walnut 5 " " on true line
 80.80 to sec. cor.

North between Sec. 11 & 12

- 3.25 a Branch 5 Ws. wide curve NW
 23.90 a Beech 20 in. dia.
 34.00 a Stream 50 Ws. wide curve NWN

Chr. Sk. T. 28 N., R. 5 E. 2^d Mer. Ind^a

40.00 set q. sec. post from which
 a Beech 6 in. dia. bears N 70 $\frac{1}{2}$ E 40 k. dist. &
 a Hickory 14 " " " S 59 W 10 " "
 51.00 a Willow Swamp, N E & S W
 55.00 leave the same
 62.48 a B. Ash 18 in. dia.
 80.00 set post cor. of sec. 1, 2, 11 & 12 from which
 a Poplar 18 in. dia. bears S 85 E 46 k. dist. &
 a Do 16 " " " N 85 W 32 " "
 Level 2^d rate land. Timber Beech, Ash, Elm,
 Sugar, Poplar, Hickory, Oak & W. Spice, Ash,
 Hickory, Sugar &c.

East in Random between Sec. 1 & 12

30.00 wet Prairie bears S. supposed to contain 15 A.
 40.00 set temp. q. sec. post
 50.00 a Swamp, offset South 2.50 Ch.
 64.00 reduced offset
 80.50 Intersect E. Boundary 4 k. S. of post -
 Level wet 2^d rate land. Timber W. Oak, Hickory,
 Elm, Beech, Poplar & W. Spice, Ash, Wil-
 low, Sugar, Junwood, Plum &c.

West Connected between Sec. 1 & 12

24.00 a Maple 14 in. dia. on true line
 40.25 set q. sec. post at aver. dist. from which
 a W. Oak 14 in. dia. bears S 8 W 18 k. dist. &
 a Gray Ash 4 " " " N 40 W 19 " "
 60.38 a W. Oak 20 " " on true line
 80.50 to sec. cor.

North between Sec. 1 & 2

23.10 a W. Elm 8 in. dia.
 40.00 set q. sec. post from which
 a Sugar 4 in. dia. bears N 36 E 20 k. dist. &
 a Do 4 " " " S 53 W 14 " "

T. 28 N., R. 5 E., 2^d Mer. Ind.^a
 Chs. Lk?

56.50 a Beech 20 in. dia.

78.15 a W. Elm 22 " "

92.55 Intersect N. Boundary 100 lks. E. of post—
 set post at intersection cor. of sec. 1 & 2 from which
 a Beech 6 in. dia. bears S 71° W 5 lks. dist. rd
 a Buckeye 14 " " " S 66° E 4 " "

Level rich 2^d rate land. Timber Beech, Elm, Ash,
 Cherry, Oak, Walnut & W. Spruce, Ash, Sugar,
 Buckeye &c.

North between Sec. 34 & 35

1.00 enter Swamp

6.50 leave "

21.15 a Sugar 18 in. dia.

40.00 set q. sec. post from which
 a W. Oak 8 in. dia. bears N 51° W 18 lks. dist. rd
 a B. Ash 16 " " " S 20° E 16 1/2 " "

56.09 a Sycamore 36 in. dia.

70.00 a large Swamp bears W

80.00 set post cor. of sec. 26, 27, 34 & 35 from which
 a Bur Oak 18 in. dia. bears N 34° W 28 lks. dist. rd
 a W. Oak 20 " " " S 11° E 26 " "
 Level wet 3^d rate land. Timber Ash, Beech,
 Oak, Maple &c. W. Willow Black Hawk &c.

East in Random between Sec. 26 & 35

4.50 a Branch 4 lks. wide course N.

40.00 set temp. q. sec. post

53.00 a Branch 5 lks. wide course N.

63.00 a Do 4 " " " NW

79.82 Intersect N. S. line 4 lks. N. of post—

Level 2^d rate land. Timber Beech, Ash, Sugar,
 Elm, Spruce, Poplar &c. W. Sugar, Spruce, Ash,
 Hickory &c.

West Corrected between Sec. 26 & 35

Ch. Sp. T. 28 N., R. 5 E., 2^d Mer. Ind.

19.86 a Beech 18 in. dia. on true line

39.91 set of sec. post at aver. dist. from which
a Beech 10 in. dia. bears N 18° W 28 lks. dist. 4
" Do 5 " " " S 9 1/2° E 30 " "

61.30 a Maple 20 " " on true line

79.82 to sec. cor.

North between Secs. 26 & 27

17.96 a Beech 10 in. dia.

40.00 set of sec. post from which
a Beech 6 in. dia. bears N 23° E 10 lks. dist. 4
a Sugar 16 " " " S 69° W 26 " "

58.80 a Beech 20 " "

80.00 set post cor. of secs. 22, 23, 26 & 27 from which
a Water Beech 2 in. dia. bears N 28 1/2° W 11 lks. dist. 4
a Hickory 22 " " " S 69° E 31 " "

Level 2^d rate land. Timber Beech, Ash, Sugar, Elm,
Oak, Poplar, Hickory & Upr. Spice, Ash, Sugar,
Hickory, Ironwood, Water Beech &c.

East in Random between Secs. 23 & 26

40.00 set temp. of sec. post

67.00 a Branch 8 lks. wide course N.

79.97 Intersect N & S. line 17 lks. S. of post—

Level 2^d rate land. Timber Beech, Ash, Elm, Sugar,
Hickory, Oak & Upr. Spice, Ash, Ironwood, Sugar,
Hickory &c.

West Corrected between Secs. 23 & 26

19.67 a Beech 6 in. dia. on true line

39.98 set of sec. post at aver. dist. from which
a Gray Ash 8 in. dia. bears N 49° W 9 lks. dist. 2
a Beech 10 " " " S 37° W 13 " "

66.12 an Ironwood 4 in. dia. on true line

79.97 to sec. cor.

T. 28 N., R. 5 E. 2^d Mer. Ind.^a

Chs. Lk.

North between Secs. 22 & 23

21.35 a Hickory 24 in. dia.

40.00 set of sec. post from which

a Beech 18 in. dia. bears N 34 E 37 1/2 M., dist. 4

a Do 10 " " " S 31 W 9 " "

59.07 a Beech 18 " "

70.25 a Branch 10 M., wide course NE

76.25 a Stream 25 " " " WNW

78.50 same stream " NE

80.00 set post cor. of sec. 14, 15, 22 & 23 from which

a Buckeye 4 in. dia. bears N 81 E 21 M., dist. 4

a Do 12 " " " S 81 W 10 " "

Level 2^d rate land. Timber Beech, Sugar, Elm, Ash,
Hickory, Oak & V. Upr. Spice, Sugar, Ironwood,
Hickory, Buckeye, Hazel &c.

East in Random between Secs. 14 & 23

1.00 cut a North bend of a stream

3.50 the same stream course NNE

40.00 set temp. of sec. post

72.00 a Swamp bears South

79.92 Intersect N & S. line 11 M. S. of post -

Level wet 2^d rate land. Timber Ash, Beech, Elm,
Hickory, Oak, Sugar & V. Upr. Spice, Ironwood,
Ash, Sugar, Hickory &c.

West Corrected between Secs. 14 & 23

20.42 a Beech 12 in. dia. on true line

39.96 set of sec. post at aver. dist. from which

a Beech 18 in. dia. bears S 63 W 28 M., dist. 8

a Do 16 " " " N 34 E 26 " "

58.47 a Beech 10 " " on true line

79.92 to sec. cor.

North between Secs. 14 & 15

13.25 a Stream 30 M. wide course WNW

T. 28 N., R. 5 E. 2^d Mer. Ind. &
Chs. 10?

20.55 a Beech 16 in. dia.

40.00 set of sec. post from which

a Beech 5 in. dia. bears N 42 E 14 krs. dist. &
an Ironwood 5 " " S 46 1/2 W 7 " "

54.75 a Lycamore 22 in. dia.

55.50 a Stream 40 krs. wide course SW

70.12 a Branch 4 " " " SW

75.00 a Spring branch 4 krs. wide course SW

80.00 set part cor. of sec. 10, 11, 14 & 15 from which

a Sugar 15 in. dia. bears North 9 krs. dist. &
a W. Oak 22 " " " S 40 E 44 " "

Part level, part rolling 2^d rate land. Timber
Ash, Sugar, Beech, Elm, Oak, Cherry, Walnut &
Wgs. Spice, Black Haw, Ironwood, Sugar, Hickory &c.

East on Random between Sec. 11 & 14

0.50 a Branch 3 krs. wide course SSE

27.90 a Stream 50 " " " SW

40.00 set temp. of sec. post

61.25 a Spring branch 4 krs. wide course N.

80.15 Intersect N. & S. line 30 krs. S. of post—

Part level, part rolling 2^d rate land. Timber Ash,
Beech, Elm, Gum, Oak &c. Wgs. Spice, Ash, Black
Haw, Sugar, Ironwood &c.

West Connected between Sec. 11 & 14

20.05 a Beech 28 in. dia. on true line

40.07 set of sec. post at aver. dist. from which

an Ironwood 14 in. dia. bears S 50 W 30 krs. dist. &
a Beech 10 " " " S 7 1/2 E 29 " "

The post stands in the S. edge of a Stream 50 krs. wide

60.15 a Beech 12 in. dia. on true line

80.15 to sec. cor.

North between Sec. 10 & 11

1.70 a Branch 3 krs. wide course SE.

T. 28 N., R. 5 E. 2^d Mer. Ind.⁴
Ch. Spr.

24.65 a W. Oak 50 in. dia.

26.50 a Swamp

30.00 leave the same

40.00 set of. sec. post from which

a Beech 16 in. dia. bears N 30 W 11 $\frac{1}{2}$ W. dist. 8

a Maple 18 " " " S 53 E 29 " "

47.00 enter Willow Swamp, NE & SW

48.50 leave the same

52.50 enter Swamp, NE

53.50 leave Do

61.00 a Swamp, offset East 3.00 Ch. enter Swamp
while in offset

66.00 reduced offset

66.65 a W. Elm 18 in. dia.

80.00 set post cor. of sec. 2, 3, 10 & 11 from which

a Beech 8 in. dia. bears S 83 E 15 W. dist. 8

an Ironwood 6 " " " N 86 W 9 " "

Level wet 3rd rate land. Timber W. Oak, Beech, Ash,
Elm, Ironwood &c. W. Sugar, Hickory, Black,
Haw, Ironwood &c.

East on Random between Sec. 2 & 11

40.00 set temp. of. sec. post

80.35 Intersect N & S. line 18 W. E. of post—

Level 2nd rate land. Timber W. Oak, Ash, Elm, Hickory,
Sugar, Beech, &c. W. Sugar, Ironwood, Spice,
Hickory, Spice &c.

West Corrected between Sec. 2 & 11

19.57 a Beech 12 in. dia. on true line

40.17 set of. sec. post at aver. dist. from which

a Beech 20 in. dia. bears N 80 E 21 W. dist. 8

an Ironw. 6 " " " S 64 $\frac{1}{2}$ W 10 " "

60.43 a R. Oak 44 " " on true line

80.35 to sec. cor.

T. 28 N., R. 5 E., 2^d Mer. Ind.
Ch. 1st

North between Sec. 2 & 3

7.75 a Buttonwood Swamp 150 Yds. wide course E & W

20.00 enter Pond 350 Yds. wide, E & W

26.62 a W. Elm 36 in. dia.

40.00 set of sec. port from which

a Ironwood 8 in. dia. bears S 19 1/2 E 5 Yds. dist. &

a Cherry 18 " " " West 1 " "

48.00 a large Swamp, offset West 4.00 Ch.

51.50 Reduced offset & enter wet land

63.00 leave Marsh & enter timbered land

63.90 a Sugar 18 in. dia.

55.25 a beautiful spring branch 10 Yds. wide course SW

93.25 set port on left bank of Old River from which

a Honey Locust 20 in. dia. bears S 52 E 10 Yds. dist. &

a Gum 12 " " " S 68 W 21 " "

Part level rich prairie land, part wet prairie land.
Timber Ash, Elm, Oak, Ylp. Sugar, Ash, Buck-
eye, Hazel &c.

North between Sec. 33 & 34

20.18 a Beech 10 in. dia.

20.80 a Branch 4 Yds. wide course W & W

40.00 set of sec. port from which

a Beech 20 in. dia. bears N 20 E 11 Yds. dist. &

alp. Ash 22 " " " S 29 W 12 " "

57.55 a Beech 28 " "

66.15 a Branch 4 Yds. wide course W.

80.00 set port cor. of sec. 27, 28, 33 & 34 from which

a Beech 18 in. dia. bears N 18 E 6 Yds. dist. &

a Do 8 " " " S 73 W 24 " "

Level prairie land, Timber Beech, Ash, Sugar,
Hickory, Elm, Oak &c. Ylp. Spice, Sugar, Hickory.

East on Pradon between Sec. 27 & 34

32.50 a Branch 5 Yds. wide course E & NE

39.50 a Do 4 " " " N

T. 28 N., R. 5 E. 2^d Mer. Ind.^a

Ch. Lk.

40.00 set temp. of sec. port

49.25 a Branch 8 lks. wide course NE

73.50 enter Swamp, SW

77.00 leave the same

79.80 Intersect N. & S. line 17 lks. N. of port -

Level 2^d rate land. Timber Beech, Ash, Elm,
Oak, Hickory, Lym. &c. Upr. Spice, Ash, Hick-
ory, Sugar, Black Hawth &c.

West Connected between Sec. 27 & 34

19.65 a Beech 20 in. dia. on true line

39.90 set of sec. port at av. dist. from which
a Sugar 8 in. dia. bears S 24 W 4 lks. dist. &
a Beech 6 " " " N 40 E 17 " "

59.34 a Beech 22 " "

79.80 to sec. cor.

North between Sec. 27 & 28

3.20 a Branch 3 lks. wide course W

21.83 a Sugar 24 in. dia.

22.90 a Branch 4 lks. wide course W

40.00 set of sec. port from which

a Beech 16 in. dia. bears N 28 1/2 E 16 lks. dist. &
a Hickory 22 " " " S 54 W 17 " "

58.49 a Sugar 20 " "

73.50 cut E. bend of a Branch 4 lks. wide

80.00 set port cor. of sec. 21, 22, 27 & 28 from which

a Beech 20 in. dia. bears N 64 W 34 lks. dist. &
a Ash 28 " " " S 32 E 7 " "

Level 2^d rate land. Timber Beech, Ash, Elm,
Hickory, Sugar, Poplar, Oak &c. Upr. Spice, Sugar,
Juniper &c.

East on Random between Sec. 22 & 27

16.40 a Branch 10 lks. wide course N

16.83 the same stream " SW

T. 28 N., R. 5 E. 2^d. Mer. Ind.^a
Ch. Skt.

18.90 the same stream course NW
38.80 a Swamp 60 Yds. wide course NE
40.00 set temp. of sec. part
52.00 a Swamp, offset North 1.00 Ch.
54.00 reduced offset
67.00 a Branch 4 Yds. wide course N.
79.77 Intersect N & S. line 13 Yds. N. of part —
Level inferior 2^d rate land. Timber Beech, Oak,
Sugar, Hickory & Ylpr. Black Hw., Hornwood,
Spice, Hickory, Hornbeam &c.

West Correlated between Sec. 22 & 27

19.71 a gray Ash 14 in. dia. on true line
39.88 set of sec. part at aver. dist. from which
a Beech 8 in. dia. bears N 27° E 11 1/2 Yds. dist. &
a Do 16 " " " S 37° W 30 " "
59.62 a gray Ash 20 " " on true line
79.77 to sec. cor.

North between Sec. 21 & 22

17.50 a Branch 15 Yds. wide course NW
18.80 a Beech 14 in. dia.
22.75 same stream course SE
24.20 Do " NW
40.00 set of sec. part from which
a Water Beech 4 in. dia. bears S 53° W 3 Yds. dist. &
a Do 2 " " " N 87° E 22 " "
62.95 a Sugar 24 " "
68.34 a Branch 4 Yds. wide course N
80.00 set part cor. of sec. 15, 16, 21 & 22 from which
a Beech 18 in. dia. bears N 31° E 24 Yds. dist. &
a Do 18 " " " S 41° W 21 " "
Level rich 2^d rate land. Timber Sugar, Beech,
Ash, Elm, Buckeye, Oak & Ylpr. Spice, Sugar &c.

East in Random between Sec. 15 & 22

T. 28 N., R. 5 E. 2. Mer. Ind.^a
Ch. Sk?

31.65 a Branch 400 ft. wide course NWN
40.00 set temp. g. sec. post
79.56 Intersect N & E line 170 ft. N. of post.
Level rich 2. rate land. Timber Sugar, Ash, Elm,
Beech, Hickory, Oak & W. Spruce, Ash, Sugar,
Hickory &c. Saturday, May 10. 1828

West Connected between Sec. 15 & 22

19.36 a W. Elm 16 in. dia. on true line
39.78 set g. sec. post at aver. dist. from which
a Beech 16 in. dia. bears S 25° W 120 ft. dist. &
a Gray Ash 22 " " " N 27° E 16 " "
58.78 a Beech 20 " " on true line
79.56 to sec. cor.

West on true line between Sec. 16 & 21

18.79 a Buckeye 16 in. dia.
40.00 set g. sec. post from which
a Buckeye 3 in. dia. bears N 65° W 70 ft. dist. &
an Ironwood 10 " " " S 54° E 18 " "
59.56 a Beech 10 " "
70.50 a Sugar 8 in. dia. corner tree in left bank of
Eel River.
Level rich 2. rate land. Timber Beech, Ash,
Cherry, Walnut &c. W. Spruce &c.

North between Sec. 15 & 16

5.60 a Branch 400 ft. wide course NW
6.00 the same stream " NE
6.75 " " " NW
18.21 a Beech 18 in. dia.
40.00 set g. sec. post from which
an Ironwood 3 in. dia. bears N 70° E 50 ft. dist. &
a W. Elm 4 " " " S 64° W 12 " "
48.50 a Stream 75 ft. wide course NW
55.00 the same stream " NNE

T. 28 N., R. 5 E. 2^d Mer. Ind.^a
Ch. 1st?

64.14 a Sugar 16 in. dia.

72.00 the same stream, course NW

80.00 set post cor. of sec. 9, 10, 15 & 16 from which
a Beech 22 in. dia. bears N 29 $\frac{1}{2}$ W 15 $\frac{1}{2}$ Mts. dist. 8
an Ironwood 5 " " S 43 E 32 " "

Part level, part rolling 2nd rate land. Timber
Beech, Sugar, Ash, Elm, W. Oak, Walnut,
Buckeye & Wyp. Sugar, Spice, Ash, Leather-
wood, Ironwood, Dogwood &c.

East on Random between Sec. 10 & 15

38.75 a Stream 50 Mts. wide course SSW

40.00 set temp. of sec. post

42.75 a Pond 50 Mts. wide

50.00 the same stream, course NW

79.82 Intersect N & S line 23 Mts. N. of post

Part level, part rolling 2nd rate land. Timber
Ash, Beech, Elm, Poplar, Oak, Walnut &c.
Wyp. Spice, Sugar, Willow, Ironwood, Elm,
Black Haw &c.

West Corrected between Sec. 10 & 15

19.90 a Beech 12 in. dia. on true line

39.91 set of sec. post at aver. dist. from which
a W. Elm 6 in. dia. bears N 47 E 14 Mts. dist. 8
a G. Ash 14 " " " S 43 $\frac{1}{2}$ W 43 " "

60.87 a Beech 14 " " on true line

79.82 to sec. cor.

West on true line between Sec. 9 & 10

5.75 cut South bend of a Branch 6 Mts. wide
course NW

18.50 the same Branch, course NW

19.25 a W. Elm 24 in. dia.

21.00 a Pond 150 Mts. wide, N & S

32.08 set post on left bank of Cel. River from which

T. 28 N., R. 5 E. 2.^d Mer. Ind.^a
 Chas. C. K.

a Beech 18 in. dia. bears South 17 Wks. dist. &
 a Do 5 " " " N 82 E 20 " "
 Level 2.^d rate land. Timber Beech, Oak, Ash,
 Elm & W. W. Ironwood, Spice, Sugar, Dogwood &c.

North between Sec. 9 & 10

4.50 a dead running Branch 10 Wks. wide course
 SW. supposed to be the Outlet of Ponds W.
 23.12 a Hickory 12 in. dia.
 34.00 an Outlet of a Pond 10 Wks. wide course SW
 40.00 set of sec. part from which
 a W. Oak 4 in. dia. bears N 32 E 14 Wks. dist. &
 a Beech 8 " " " S 25 W 26 " "
 50.00 enter Swamp
 59.50 leave the same
 61.69 a gray Ash 16 in. dia.
 62.00 a Branch 3 Wks. wide course SW
 73.60 a spring branch 4 Wks. wide course SW
 80.00 set part cor. of Sec. 3 & 4, 9 & 10 from which
 an Ironwood 5 in. dia. bears S 85 W 16 Wks. dist. &
 a R. Elm 3 " " " N 38 E 15 " "
 Mostly level 2.^d rate land. Timber W. Oak,
 Beech, Ash, Sugar, Elm, Buckeye, Walnut,
 Hackberry & W. W. Sugar, Ash, Spice, Hickory,
 Elm &c.

East in Random between Sec. 3 & 10

40.00 set temp. of sec. part
 64.00 a Branch 6 Wks. wide course NW
 79.28 Intersect N & S line 14 Wks. E. of part—
 Level 2.^d rate farming land. Timber Beech,
 Ash, Elm, Sugar, Walnut, Cherry, Buckeye
 &c. W. W. Sugar, Spice, Ash, Hickory, Ironw.
 Water Beech &c.

West Connected between Sec. 3 & 10

T 28. N. R. 5 E. 2^d Mer. Ind.
Ch. 2^d 1st

19.93 a Beech 16 in. dia. on true line

39.64 set of sec. part at aver. dist. from which
an Ironwood 8 in. dia. bears S 36° W 7 1/2 M., dist. 2
a Beech 4 " " " N 26° E 11 " "

58.04 a W. Elm 24 " "

79.28 to sec. cor.

West on true line between Sec. 4 & 9

6.70 set post on left bank of Owl River from which
an Ironwood 8 in. dia. bears N 60° E 21 M., dist. 3
a Do 6 " " " South 17 " "

Rolling 2^d rate land. Timber as last noted

North between Sec. 3 & 4

20.80 a Branch 8 M., wide course SW

21.27 a W. Elm 18 in. dia.

40.00 set of sec. part from which

a B. Oak 24 in. dia. bears S 84° W 19 M., dist. 3

a W. Oak 10 " " " N 81° E 22 " "

53.90 a Cherry 16 " "

74.86 a Hackberry 36 " "

81.70 set post on left bank of Owl River from which

a Mulberry 14 in. dia. bears S 80° W 10 M., dist. 3

a Water Birch 4 " " " S 40° E 7 " "

Level rich 2^d rate land. Timber Ash, Elm, Cherry,
Walnut, Oak, Hackberry, Buckeye & Upr.

Spice, Ironwood, Buckeye, Black Hawth.

North between Sec. 32 & 33

30.72 a Beech 20 in. dia.

36.00 a Branch 3 M., wide course NWN

40.00 set of sec. part from which

a Beech 18 in. dia. bears N 43° E 17 M., dist. 3

a Do 20 " " " N 83° W 19 " "

44.25 a Branch 4 M., wide course W

59.00 a Gray Ash 28 in. dia.

T. 28 N., R. 5 E., 2^d Mer. Ind.^a
 Ch. Lk.

77.50 a dead running Branch 8 Vks. wide course
 NW.

78.00 enter Swamp

80.00 set post in Swamp cor. of sec. 28, 29, 32 & 33 from
 wh. a R. Elm 6 in. diam bears S 77 W 198 Vks. dist. 8

a R. Oak 6 " " " " N 3 E 266 " "

Level State land. Timber Ash, Oak, Beech,
 Elm, Sugar & Vly. Spice, Ash, Sugar, Sun-
 wood, Willow &c.

East on Random between Sec. 28 & 33

7.00 leave Swamp

9.50 a large Swamp, N E. Offset South 3.50 Vks.

14.50 Reduced offset

40.00 set temp. of sec. post

50.90 a Branch 8 Vks. wide course N NW

64.75 a Do 6 " " " " N

80.00 Intersect N & S. line 8 Vks. N. of post -

Level State land. Timber Ash, Beech, Poplar,
 Elm, Oak, Hickory & Vly. Spice, Ash, Sugar,
 Sunwood, Hickory, Water Beech &c.

West Connected between Sec. 28 & 33

20.02 a Beech 10 in. dia. on true line

40.03 set of sec. post at aver. dist. from which

a Beech 14 in. diam bears N 43 W 112 Vks. dist. 8

a Do 18 " " " " S 71 E 12 " "

59.31 a Beech 12 " " on true line

80.00 to sec. cor.

West between Sec. 29 & 32 on true line

10.00 leave Swamp

21.90 a Beech 24 in. dia.

27.49 Intersect E. Boundary of Indian Reservation

set post from which

a Beech 14 in. diam bears N 55 E 26 Vks. dist. 8

T. 28 N., R. 5 E. 2^d Mer. Ind. a

Ch. 10.

a Beech 20 in. dia. bears S 37 E 14 lks. dist.
Level 2^d rate land. Timber Beech, Ash, Oak,
Elm &c. Ulp. Spice, Ash, Sugar, Ironwood &c.

North between Sec. 28 & 29

2.50 leave Swamp

12.00 cut West end of a Buttonwood Swamp

20.78 a Gray Ash 26 in. dia.

40.00 set of sec. post from which

a Beech 14 in. dia. bears S 31 W 29 lks. dist. &

a Do 16 " " " North 10 " "

62.30 a Gray Ash 16 " "

63.36 a Branch 4 lks. wide course WNW

75.50 a Do 3 " " " NW

80.00 set post cor. of sec. 20, 21, 28 & 29 from which

a Gray Ash 14 in. dia. bears N 61 1/2 E 28 lks. dist. &

a Water Beech 6 " " " S 61 1/2 W 33 " "

Level 2^d rate land. Timber Beech, Sugar, Oak,
Elm, Ash, Hickory &c. Ulp. Spice, Ash, Ironwood,
Hickory, Sugar, Elm &c.

East on Random between Sec. 21 & 28

40.00 set temp. of sec. post

42.25 a Branch 15 lks. wide course N

74.40 a Do 4 " " " " NW

80.12 Intersect N & S line 14 lks. N. of post -

Level 2^d rate land. Timber Sugar, Ash, Elm,
Oak, Hickory &c. Ulp. Spice, Black Hawth,
Ironwood, Elm, Sugar, Hickory, Buckeye &c.

West Corrected between Sec. 21 & 28

20.37 a Gray Ash 30 in. dia. on true line

40.06 set of sec. post at aver. dist. from which

a Beech 22 in. dia. bears N 16 W 17 lks. dist. &

a Do 16 " " " " S 37 E 11 " "

59.67 a Beech 16 " " on true line

T. 28 N., R. 5 E. 2^d Mer. Ind.^a
 Ch. Sk.
 80.12 to sec. cor.

West on true line between Sec. 20 & 29

8.40 a Branch 4th m. wide course NW

9.00 a Do 6 " " " N

9.75 the same Branch " " SW

10.84 the same stream " " NW

17.75 a Beech 24 in. dia.

23.50 a Branch 12th m. wide course SW

26.79 Intersect E. Boundary of Indian Reservation

79.62 Ch. South of post on left bank of Cel
 River, set post on the West bank of last noted

Branch, course NW, from which post

a Beech 14 in. dia. bears N 79° E 33 m. dist. &

a Water Beech 5 " " " S 69° E 32 " "

Broken 2^d rate land. Timber Beech, Elm,
 Oak &c. Upr. Ironwood &c.

North between Sec. 20 & 21

15.32 a Beech 26 in. dia.

40.00 set q. sec. post from which

a Beech 18 in. dia. bears N 27° E 9 m. dist. &

a Hawthorn 3 " " " S 73° W 21 " "

49.75 a Stream 15 m. wide course W

57.15 set post on left bank of Cel River from which

a R. Oak 30 in. dia. bears S 59° W 26 m. dist. &

a Beech 8 " " " S 38° E 9 " "

First half mile level 1st rate land, balance
 rolling 2^d rate land. Timber Elm, Walnut,
 Beech, Oak, Sugar, Ash &c. Upr. Spruce, Ironwood,
 Pawpaw, Buckeye &c.

Meanders of the left bank of Cel River.

Beginning at post in N. Boundary, NW corner
 of Sec. 2, thence:

T. 28 N., R. 5 E. 2. Mer. Ind. a

219

Courses Chrs. Sps.	Remarks.
S46½ W. 2.41	In Sec. 2 - to port in line betw. Sec. 2 & 3 93.25 Chrs. North of Sec. corner.
S44 W. 2.00	In Sec. 3
S68 W. 9.50	at 3.00 Chrs. a Branch 8 Ws. wide course SE
S80 W. 12.00	
N88 W. 6.50	
N76 W. 5.00	
N62 W. 2.50	
N70 W. 4.00	
N87 W. 5.00	
S75 W. 3.50	
S50 W. 2.50	Head of Island, current on NW. side
S38 W. 4.00	
S69 W. 4.00	Foot of Do
N87 W. 6.00	
N69 W. 3.00	
N60 W. 5.00	
N75 W. 4.50	
S69 W. 2.00	
S28 W. 4.50	
S51 W. 2.73	to port in line between Sec. 3 & 4 81.70 Chrs. North of Sec. corner
S48 W. 4.00	In Sec. 4
S41 W. 5.50	
S35 W. 4.50	
S28 W. 7.50	
S10 W. 2.50	
S11 E. 6.50	
S15 E. 1.50	Head of Island, current on W. side
S28 E. 2.00	
S38 E. 2.50	Foot of Island
S5 W. 2.50	
S18 W. 3.00	

T. 28 N., R. 5 E. 2^d Mer. Ind.^a

Courses	Chs. & Secs.	Remarks
S 17° W	4.50	
S 31° W	6.50	
S 27° W	9.50	
S 2 E	3.00	Head of Island, current on W. side
S 36 E	3.00	Foot of Do
S 48 E	6.50	
S 62 E	7.00	
S 32 E	3.50	
S 9 E	5.50	at 1.50 Ch. a Branch 8 Mts. wide from E.
S 21° W	3.00	
S 32° W	3.65	to post in line between Sec. 4 & 9
	6.70	Ch. West of Sec. corner
S 29° W	9.00	In Sec. 9 - at 7.50 Ch. a Branch 6 Mts. wide
S 23° W	7.50	from NE
S 18° W	5.00	
S 35° W	2.00	
S 21° W	4.00	at 1.00 Ch. a Branch 3 Mts. wide from NE
S 40° W	6.50	
S 54° W	12.00	
S 64° W	4.00	
S 51° W	2.50	
S 25° W	3.50	
S 2° W	3.50	
S 18 E	16.00	
S 31 E	6.00	
S 15 E	7.00	at 1.00 Ch. a Branch 4 Mts. wide from NE
		at 5.00 " a Spring
S 28° W	5.75	to post in line between Sec. 9 & 16
	32.08	Ch. West of Sec. corner
S 19° W	3.50	In Sec. 16 - at 2.00 Ch. a Branch 3 Mts. wide
S 68° W	2.50	Head of Island from E
S 50° W	9.50	Foot of Do
S 21° W	6.00	
S 8° W	13.00	

T. 28 N., R. 5 E. 2. Mer. Ind.^a

Courses Ch. M.

Remarks

S14°W 4.50 Springs

S29°W 8.00

S35°W 2.50 a Stream 50 M^s. wide from SE

S50°W 10.00 Part of the same stream

S70°W 4.50

S81°W 6.00

S25°W 4.50

S15°W 4.00

S13°E 4.00

S17°E 6.00

S8°E 4.50

S27°E 3.00

S16°E 4.00

S1°E 2.00 to port in line between Sec. 16 & 21
70.50 Ch^s. West of Sec. corner.

S5°E 3.00 In Sec. 21

S77°W 4.50

S18°W 5.00

S13°W 4.00

S33°W 3.00

S48°W 6.84 to port in line between Sec. 20 & 21
57.15 Ch^s. North of Sec. corner.S50°W 7.50 In Sec. 20 - Head of Island 6.00 Ch^s. longS73°W 4.50 a Branch 10 M^s. wide from E

S89°W 4.00

N61°W 5.00 Head of Island

N39°W 6.00

N15°W 6.00 Foot of Island

N7°E 7.00

N4°W 1.50

N14°W 3.50

N27°W 3.00

N38°W 1.70 to NE corner of Indian Reservation
79.62 Ch^s. North of Sec. corner.

Chs. Chs.

T. 28 N., R. 5 E. 2^d Mer. Ind.^a

May 15. 1828

Thomas Brown
Deputy Surveyor.

North extended between Sec. 3 & 44

From left bank of Eel River

81.70 Run heretofore

87.60 set post on right bank of Eel River from which
a Beech 24 in. dia. bears N 78 W 87 1/2 Ms. dist. 4
a W. Oak 20 " " " N 13 E 29 " "

90.47 a Beech 18 " "

92.00 descend steep hill

93.50 a Branch 6 Ms. wide runs S. E. into River

94.83 Intersect N. Boundary 52 Ms. W. of post -
set post at intersection cor. of sec. 3 & 44 from which
a Beech 20 in. dia. bears S 47 E 33 Ms. dist. 4
a Do 24 " " " S 43 1/2 W 62 " "
Land rolling 2^d rate. Timber Beech, W. Oak &c.

North extended between Sec. 20 & 21

From left bank of Eel River

57.15 Run heretofore

61.58 set post on right bank of Eel River from which
a Buckeye 6 in. dia. bears S 69 1/2 W 32 Ms. dist. 4
a Do 6 " " " N 12 E 37 " "

66.40 a Buckeye 10 " "

71.73 a Do 14 " "

80.00 set post cor. of sec. 10, 17, 20 & 21 from which
a Buckeye 18 in. dia. bears N 18 W 3 Ms. dist. 8
a Hickory 16 " " " S 82 E 24 " "Land level rich 1st rate. Timber Buckeye, Hack-
berry, Walnut, Locust, Hickory, Lym, Bur Oak,
Sycamore, Sugar &c. Ulp. Ash, Pawpaw, Briers,
Vines, Lym &c.

East on R. and on between Sec. 10 & 21

6.16 right bank of Eel River

T. 28 N., R. 5 E., 2^d Mer. Ind.^a
Ch. 1. 1891

9.97 a point 23¹/₂ M. S. of post on left bank.

Land level 1st rate, Timber Buckeye, Hackberry,
Walnut &c. Upr. Ash, Vines, Pawpaw &c.

West corrected between Sec. 16 & 21

70.50 Run heretofore

74.31 set post on right bank of Owl River from which
a W. Oak 12 in. dia. bears S 26¹/₂ E 19 M. dist. &

a Blue Ash 8 " " " N 43¹/₂ W 10 " "

78.68 a W. Walnut 14 in. dia.

80.47 to sec. cor.

North between Sec. 16 & 17

11.98 a Beech 15 in. dia.

27.00 a Hackberry 6 " "

40.00 set of sec. post from which

a Buckeye 18 in. dia. bears N 17 W 18 M. dist. &

a Beech 12 " " " S 17 E 18 " "

50.83 a Beech 30 " "

57.94 a Hickory 12 " "

67.14 a Beech 22 " "

80.00 set post cor. of sec. 8, 9, 16 & 17 from which

a Beech 14 in. dia. bears N 86¹/₂ W 15 M. dist. &

a Hickory 24 " " " S 58 E 24 " "

Land level 1st rate in particular Walnut, Cherry,
Beech, Buckeye, Hackberry, Hickory, Ash, Gum,
Sugar, Elm &c. Upr. Ash, Spice, Sugar, Ironwood,
Pawpaw, Buckeye, Elm, Hickory &c.

East on Raudum between Sec. 9 & 16

34.50 descend bench

37.76 right bank of Owl River

48.08 a point 4 M. N. of post of left bank of river.

Land mostly level 1st rate: Timber Beech, Ash,
Sugar, Elm, Walnut, Cherry, Buckeye, Hackberry,
Bur Oak, Sugar &c. Upr. Spice, Ash, Gum,

T. 28 N., R. 5 E. 2.^d Mer. Ind.^a
 Ch. Lk.

Pawpaw, Hornbeam, Ironwood, Hickory &c.

West Connected between Sec. 9 & 10

32.08 Run heretofore

40.08 set post on right bank of Eel River 78 Yds. N.
 of line for gr. sec. post from which
 a Buckeye 6 in. dia. bears N 22° W 8 Yds. dist. 9
 a Do 12 " " " N 25° E 5 " "

42.40 set post on line & on right bank of Eel R. from wh.
 a Buckeye 14 in. dia. bears S 55° W 6 Yds. dist. 8
 a Walnut 14 " " " N 42° W 24 " "

43.08 a Buckeye 16 " "

59.96 a W. Oak 14 " "

77.86 a Sugar 4 " "

80.16 to sec. cor.

North between Sec. 8 & 9

7.75 an Indian trail, N E

8.55 a Beech 6 in. dia.

15.35 a Do 14 " "

30.32 a Sugar 24 " "

35.00 cut West end of Pond

40.00 set gr. sec. post from which
 a Buckeye 12 in. dia. bears N 28° W 40 Yds. dist. 4
 a W. Elm 28 " " " S 13° E 28 " "

54.19 a Beech 24 " "

55.40 a Branch 5 Yds. wide course S E

60.88 a Beech 16 in. dia.

67.25 cut East bend of Branch 4 Yds. wide

69.85 a Branch 2 Yds. wide course S W

74.24 a Beech 20 in. dia.

80.00 set post cor. of sec. 4, 5, 8 & 9 from which
 a Beech 16 in. dia. bears N 76° W 45 Yds. dist. 4
 a Do 22 " " " S 54° E 33 " "

Land 1.st half mile level rich farming, last half
 mile rolling 2.^d rate. Timber Beech, Walnut,

Chr. Dr. T. 28 N., R. 5 E. 2^d Mer. Ind.

Cherry, Buckeye, Hackberry, Lym, Ash, Sugar, W. Oak,
Maple, Elm &c. Ulp. Spice, Pawpaw, Ash, Ironwood,
Sugar, Hornbeam, Hickory, Buckeye, Black Hawth.

East in Plandum between Sec. 4 & 9

10.30 a Branch 3 lks. wide course S E

29.00 descend gently & at

36.00 enter rich bottom land

50.95 an Indian trail, N E

68.52 right bank of Eel River

74.35 a point 42 lks. N. of port on left bank of river

First 30.00 Chr. rolling 2^d rate, balance level rich
1st rate land. Timber Beech, Walnut, Hackberry,
Buckeye, Cherry, Ash, W. R. Oak, Sugar, Lym,
Elm, Locust, Bur Oak &c. Ulp. Spice, Ash, Sugar,
Ironwood, Pawpaw, Lym, Hickory &c.

West Corrected between Sec. 4 & 9

6.70 Run heretofore

12.53 set post on right bank of Eel River from which
a Buckeye 12 in. dia. bears N 79° W 12 lks. dist. &
an Elm 28 " " " S 61 1/2° W 24 " "

19.72 a Cherry 10 " "

40.52 set of sec. post at aver. dist. from which
an Elm 18 in. dia. bears N 29° W 14 lks. dist. &
a Do 16 " " " S 69 1/2° E 34 " "

42.04 a Sugar 4 " "

54.05 a Buckeye 16 in. dia.

81.05 to sec. cor.

North between Sec. 4 & 5

6.70 a Sugar 22 in. dia.

25.91 a Beech 14 " "

26.65 a Branch 3 lks. wide course S E

36.21 a Beech 12 in. dia.

40.00 set of sec. post from which

T. 28 N., R. 5 E. 2^d Mer. Ind.^a

Chs. Chs.

- algray Ash 24 in. dia. bears N 57° W 47 Yds. dist. &
 a Beech 20 " " " S 68° E 36 " "
 60.93 a Beech 20 " "
 69.36 a Do 22 " "
 81.81 a W. Elm 24 " "
 93.89 Intersect N. Boundary 195 Yds. W. of post —
 set post at intersection cor. of sec. 14 & 5 in East edge
 of a Pond, from which post
 a Lycamore 40 in. dia. bears S 26° W 27 Yds. dist. &
 a Hickory 16 " " " S 28° E 56 " "
 Land 1st half mile rolling, last half mile level
 2^d rate. Timber Beech, Ash, W. R. Oak, Poplar,
 Hickory, Lym, Buckeye & W. Sp. Spice, Pawpaw,
 Hickory, Sunwood, Sugar, Lym, Ash, Hambeam &
 February 20. 1834

- West on true line between Sec. 17 & 20
 14.50 a W. Elm 22 in. dia.
 19.94 a Buckeye 14 " "
 22.15 set post on right bank of Oel River from which
 algray Ash 18 in. dia. bears N 31½° W 24 Yds. dist. &
 a W. Oak 16 " " " S 55° E 7 " "
 Offset North 9.00 Chs.
 40.00 set g. sec. post, 8.94 Chs. N. of line, from which
 a Lym 4 in. dia. bears N 33½° W 14 Yds. dist. &
 a Hickory 10 " " " S 52½° E 5 " "
 57.00 reduced offset & set post on right bank of Oel
 River from which
 a W. Oak 20 in. dia. bears N 36° W 24 Yds. dist. &
 a Sugar 18 " " " S 19° W 22 " "
 58.00 a Branch 4 Yds. wide course S., ascend hill
 64.69 a Beech 12 in. dia.
 79.15 a Branch 3 Yds. wide course, S & E
 79.90 an Indian trail, SW
 80.00 set post cor. of sec. 17, 18, 19 & 20 from which
 a Beech 28 in. dia. bears S 56° W 28 Yds. dist. &

T. 28 N., R. 5 E., 2^d Mer. Ind. a
Ch. Sk.

a Beech 16 in. dia. bears N 57 $\frac{1}{2}$ E 4 $\frac{1}{2}$ Mts. dist.
Land first 20.00 lev. level 1st rate, balance part level,
part rolling 2^d rate. Timber W. R. Oak, Beech,
Ash, Walnut, Buckeye, Lym, Elm, Sugar, Hack-
berry & V. Upr. Ash, Sugar, Lym, Hickory, Spice,
Black Hawth, Buckeye, Pawpaw &c.

South on true line between Sec. 19 & 20

0.45 an Indian trail, SW
2.00 cut W. bend of Branch
4.00 the same Branch 3 Mts. wide course SSW
6.45 a Red Elm 28 in. dia.
18.00 enter wet land
18.54 a Bur Oak 18 in. dia.
19.00 leave Pond
28.01 a forked Beech 34 in. dia.
31.00 descend steep hill
34.00 enter Willow Swamp
36.50 leave the same
40.00 set of sec. post from which
a W. Elm 22 in. dia. bears S 44 E 18 Mts. dist. &
a Bur Oak 5 " " " N 32 W 4 " "
43.58 a W. Elm 50 " "
45.50 enter Maple Swamp
49.50 leave the same
51.19 a Bur Oak 34 in. dia.
54.00 set post on right bank of Cel. St. from which
a Bur Oak 18 in. dia. bears N 50 W 11 Mts. dist. &
a Do 14 " " " S 58 $\frac{1}{2}$ E 22 " "
Land mostly level 1st & 2^d rate. Timber Beech,
Ash, Walnut, Lym, Sugar, Hickory, Buckeye,
Maple, Bur & W. Oak, Elm, Hackberry, Spice,
Ash, Hazel, Redbud, Buckeye, Vines, Hickory,
Willow &c.

West between Sec. 18 & 19

T. 28 N., R. 5 E. 2^d Mer. Ind.

Ch. Sk.

- 1.02 a Beech 18 in. dia.
 18.53 a Do 14 " "
 33.50 enter Swamp
 36.50 leave the same, mostly South
 40.00 set of sec. part from which
 a Maple 10 in. dia. bears N 53 1/2 W 42 W. dist. 2
 a Beech 12 " " " S 57 E 25 " "
 49.63 a Red Oak 18 " "
 64.46 a Beech 10 " "
 68.52 Intersect N. Boundary 10.33 Ch. South of
 [Sibley's] post - set part at intersection cor. of sec.
 18 & 19 from which
 a Beech 12 in. dia. bears S 41 1/2 E 24 W. dist. 4
 a W. Oak 20 " " " N 73 E 23 " "
 Land level 2^d rate, part rather wet. Timber
 R & Bur Oak, Ash, Elm, Sugar, Gum, Cherry,
 Beech, Hickory, Walnut, Maple & Upr.
 Spice, Junwood, Buckeye, B. Haw, Hornbeam
 Sugar Willow &c
 Measured South on Range line 29.91 Ch.
 to right bank of Eel River.

North between Sec. 17 & 18

- 0.65 a Branch 5 W. wide corner SE
 6.61 a Beech 18 in. dia.
 6.75 cut East bend of same Branch
 7.45 the same Branch, corner WSW
 8.50 cut West bend of same Branch
 24.52 a Bur Oak 22 in. dia.
 38.01 a Beech 14 in. dia.
 40.00 set of sec. part from which
 a Sugar 10 in. dia. bears N 40 E 17 W. dist. 4
 a Buckeye 14 " " " S 20 W 28 " "
 53.04 a Beech 24 " "
 66.91 a Walnut 24 " "
 80.00 set part cor. of sec. 7, 8, 17 & 18 from which

T. 28 N., R. 5 E. 2^d Mer. Ind.^a
 Ch. 1st 1st

a Beech 18 in. dia. leans N 87° W 20 Ws. dint. &
 a Do 6 " " " S 20° E 21 " "
 Land mostly level rich extra 2^d rate. Timber Beech,
 Walnut, Ash, Elm, Sugar, Lym, Cherry, Buckeye
 & Upr. Spice, Ash, Ironwood, Hornbeam, Lym,
 Sugar &c. February 21. 1834

East on Random between Sec. 8 & 17

34.50 enter wet marshy land

55.00 enter Cat Swamp

59.00 leave the same, mostly South

74.44 an Indian trail, NE

80.12 Intersect N & S line 11 Ws. S. of pt.

Land 1st 30.00 Ch. rolling 2^d rate. Balance
 level. Part dry 1st rate, part wet 3^d rate.

Timber Walnut, Ash, Beech, Sugar, W. Oak,
 Lym, Bur Oak, Cherry, Maple, Hackberry,
 Buckeye & Upr. Spice, Ash, Hornbeam, Iron-
 wood, Sugar, Willow

West Corrected between Sec. 8 & 17

5.76 a Bur Oak 40 in. dia.

15.87 a Hackberry 24 " "

34.84 an Elm 14 " "

40.06 set g. sec. pt. at aver. dint. from which

a Bur Oak 18 in. dia. leans S 63½° W 32 Ws. dint. &

a W. Elm 16 " " " N 59½° E 18 " "

59.85 a Beech 20 " "

69.43 a Buckeye 16 " "

80.12 to sec. cor.

West between Sec. 7 & 18

5.38 a Beech 26 in. dia.

22.02 a Do 18 " "

30.60 a Stream 25 Ws. wide come SSW. Clear &
 brisk running.

T. 28 N., R. 5 E. 2.^d Mer. Ind.^a
Ch. Sp.

32.50 rise steep bank 15 feet high

32.94 a Beech 16 in. dia.

40.00 set of sec. part from which

a Beech 14 in. dia. bears S 60° W 120 yds. dist. &

a Do 28 " " " N 35° E 31 " "

40.28 a Beech 14 " "

49.84 a Sugar 22 " "

60.20 a Beech 22 " "

68.20 Intersect W. Boundary 15.63 Ch. South of

[Sibley's] post. set post at intersection cor.

of sec. 7 & 18 from which

a Beech 8 in. dia. bears S 40° E 42 yds. dist. &

alg. Ash 8 " " " N 51° E 42 " "

Land rolling rich & rate. Timber Sugar, Beech,
Walnut, Ash, W. R. Oak, Hickory, Buckeye &
Spice, Ash, Hornbeam, Ironwood, Lym, Pawpaw,
Sugar &c.

North between Sec. 7 & 8

0.44 a Beech 14 in. dia.

10.18 a forked Beech 22 in. dia.

22.00 descend bank

22.35 a Brook 20 yds. wide course SW. clear gravelly
bottom

30.66 a Sugar 8 in. dia.

38.00 the same stream, course SE

40.00 set of sec. part from which

a Buckeye 14 in. dia. bears N 66° E 44 yds. dist. &

a Red Elm 14 " " " S 64° W 35 " "

The post stands in West edge of the same stream

43.00 cut West bend of said stream

44.00 a W. Oak 12 in. dia.

49.60 a Branch 3 yds. wide course SE

50.39 a Lym 14 in. dia.

57.70 a Branch 6 yds. wide course SE. dead running

59.00 the same Branch course SW

T. 28 N., R. 5 E. 2. Mer. Ind.

Ch. 10.

60.80 the same Branch, course SE

67.72 a Hickory 14 in. dia.

80.00 set post cor. of sec. 5, 6, 7 & 8 from which
a Beech 16 in. dia. bears S 58° W 44 lbs. dist. 4
a Do 14 " " " N 57° E 36 " "

Land first half mile mostly level 1st rate, last
half mile rolling 2nd rate. Timber Sugar, Beech,
Walnut, Ash, Elm, Gum, Hackberry, Buckeye,
Hickory & V. Upr. Spice, Ash, Hornwood, Hornbeam,
Hickory &c.

East on Random between Sec. 5 & 8

15.20 a Stream 20 lbs. wide course SW. clear & nice

25.00 enter Swamp

28.00 leave the same, NE

39.50 enter Swamp

42.00 leave the same, S

78.85 a muddy Branch 6 lbs. wide course SE

80.16 Intersect N. J. line 6 lbs. N. of post -

Land level wet 2nd rate. Timber W. Oak, Beech,
Bur Oak, Ash, Gum, Sugar, Hickory, Poplar,
Walnut, Maple, Elm & V. Upr. Hornwood, Spice,
Ash, Sugar, Hornbeam, Buckeye &c.

West Corrected between Sec. 5 & 8

12.85 a gray Ash 6 in. dia.

15.94 a Do 18 " "

20.01 a Beech 18 " "

40.08 set q. sec. post at area. dist. from which
a B. Ash 14 in. dia. bears S 41° W 13 lbs. dist. 2

a Do 10 " " " N 1° E 20 " "

The post stands in water 18 in. deep

68.73 a W. Elm 6 in. dia.

77.86 a Maple 20 " "

80.16 to sec. cor.

T. 28 N., R. 5 E. 2. Mer. Ind.^a

Ch. Sk.

West between Sec. 6 & 7

4.09 a Branch 3 M., wide course SE

5.02 a Sugar 22 in. dia.

13.30 descend bench & cross Branch 4 M., wide course SSE

14.00 a Branch 3 M., wide course SE. Cross the same Branch 4 times & at

17.20 same Branch course SE

20.81 a Sugar 28 in. dia.

40.00 set g. sec. post from which

a Beech 12 in. dia. bears N 64 $\frac{1}{2}$ W 18 M., dist. 8

a Hickory 4 " " " S 31 E 21 " "

46.70 a Beech 18 " "

59.18 a Dr 18 " " descend into Valley

64.45 a Branch 2 M., wide course NW

67.84 Entered W. Boundary 14.84 Ch. South of

[Sibley's] post - set post at intersection cor. of sec. 6 & 7 from which

a Beech 22 in. dia. bears S 75 E 30 M., dist. 4

a Gray Ash 5 " " " N 45 $\frac{1}{2}$ E 29 " "

Land rolling rich & fertile. Timber Sugar, Beech, Walnut, Ash, Gum, Elm, Buckeye, W. Oak, Hickory & W. Spice, Ash, Hornbeam, Ironwood, Sugar &c.

North between Sec. 5 & 6

1.50 enter Swamp

7.00 leave the same, SE

16.33 a B. Ash 24 in. dia.

35.20 a W. Elm 28 " "

40.00 set g. sec. post from which

a Beech 15 in. dia. bears N 74 W 14 M., dist. 8

a Dr 3 " " " S 71 E 13 " "

42.00 a muddy branch 3 M., wide course SE.

43.00 cut West edge of a black huge rock, all alone, 15 feet long, 11 wide & 7 high.

T. 28 N., R. 5 E. 2. Mer. Ind. a

Ch. 1/2 Sec.

46.76 a Poplar 28 in. dia.
 56.80 a Beech 24 " "
 70.97 a Do 18 " "
 73.10 a muddy branch 4 M. wide course SE
 78.00 a Poplar 36 in. dia.
 83.00 enter Swamp
 85.00 leave Do mostly West
 90.93 a Beech 18 in. dia. enter wet land
 92.50 a Branch 4 M. wide course SE. muddy
 94.02 Intersects N. Boundary 302 M. W. of port -
 a Hornbeam 4 in. dia. corner tree at intersection
 cor. of sec. 5 & 6.
 Land mostly rolling 2nd rate, part wet 3rd rate.
 Timber Beech, Sugar, Elm, Poplar, Walnut,
 Bur Oak, Lym, Buckeye & W. Spruce, Juniper,
 Sugar, Ash, Hornbeam, Buckeye, Hickory,
 Dogwood &c. February 22. 1834

Meanders of right bank of Eel River.
 Beginning at port in N. Boundary, thence:

Course Ch. 1/2 Sec.	Remarks.
S 70° W 2.00	In Sec. 3 - leave Indian Village
S 64° W 7.00	
S 78° W 7.00	
S 88° W 7.00	
N 79° W 6.00	
N 66° W 6.50	
N 87° W 5.50	Rise high bluff, 3 Indian cabins, deserted
S 76° W 5.00	
S 54° W 9.00	
S 76° W 4.00	
N 73° W 4.00	
N 50° W 5.50	
N 81° W 5.00	at 4.50 Ch. a Branch 3 M. wide from NE
S 78° W 4.00	at 0.30 " a Do 4 " " " N

234

T. 28 N., R. 5 E., T. 1 Mer. Ind^a

Courses Chrs. Ekr.

Remarks.

S40 $\frac{1}{2}$ W 4.44 to port in line between Sec. 3 & 4

S48W 10.00 In Sec. 4

S32W 4.00

S37W 4.00

S30W 7.00 at 0.25 Chr. a Branch 3 Mts. wide from NW

S15W 4.50 at 0.60 " a Bank Spring

S2E 4.50 at 4.25 " a Branch 2 Mts. wide from W

S15E 13.50 at 7.50 " Head of Island, and at 11.50 Chr

S13W 4.00 Foot of Is current on W. side

S37W 3.00

S31W 11.50 at 2.75 Chr. a Spring branch 2 Mts. wide from N.

S5W 4.50

S17E 4.00

S30E 4.00

S49E 5.00

S60E 8.50

S23E 3.50

S14W 5.50

S33 $\frac{1}{2}$ W 7.31 to port in line between Sec. 4 & 9 at 1.00 Chr. Head of Island

S22W 2.00 In Sec. 9

S12W 5.50 at 5.00 Chr. foot of Island

S22W 4.00

S30W 4.00

S20W 8.50

S40W 5.50

S55W 17.50 at 9.00 Chr. Head of Island - at 14.00 Chr. Foot of Is current on left side

S40W 4.50 at 0.90 Chr. a Branch 2 Mts. wide from N.
at 2.50 Chr. a Is 3 " " " N.W.

S16W 5.00

S5E 4.00

S23E 6.00

S15E 5.00

T. 28 N., R. 5 E. 2. Mer. Ind.

Courses Ch. Str.

Remarks.

S24E 12.50

S17E 4.00

S10W 2.50

S44W 3.50

N84W 4.00 at 2.00 Ch. Head of Island

S72W 2.93 to port in line between Sec. 9 & 16

S60W 2.00 In Sec. 16

S34W 2.50

S21W 11.00 at 4.00 Ch. port of Island

S8W 5.00

S13W 15.00

S29W 5.00

S43W 4.50

S55W 7.00

S77W 9.00 at 7.00 Ch. a Branch 3 Mts. wide from NW

S41W 5.00

S22W 5.50

S2E 5.00

S11E 9.50

S20E 8.00

S13E 2.85 to port in line between Sec. 16 & 21

S3E 3.00 In Sec. 21

S5W 2.50

S17W 7.50

S30W 5.00

S40W 2.16 to port in line between Sec. 20 & 21

S53W 3.50 In Sec. 20

S61W 11.00 at 2.00 Ch. Head & at 4.50 Ch. port of Island

N51W 5.00 at 3.00 " Head of Island

N31W 7.00 at 5.00 " Foot of Do

N2W 6.00

N9E 6.00

N32W 5.62 to port in line between Sec. 17 & 20

T. 28 N., R. 5 E. 2^d Mer. Ind^a

Corners	Ch. Sp.	Remarks
N34 ¹ / ₂ W	3.50	In Sec. 17 - at 0.60 Ch. a Branch 2 Ws. wide
N51 ¹ / ₂ W	4.00	from NW
N64 ¹ / ₂ W	3.50	
N81 ¹ / ₂ W	7.88	to q. sec. post at 3.00 Ch.
S89 ¹ / ₂ W	3.50	Head of large Island
S73 ¹ / ₂ W	6.50	at 1.40 Ch. a beautiful Spring
S59 ¹ / ₂ W	5.00	
S33 ¹ / ₂ W	5.28	to post in line between Sec. 17 & 20
<hr/>		
S33 ¹ / ₂ W	3.00	In Sec. 20 - at 1.10 Ch. a Branch 4 Ws. wide
		from NW
S17 ¹ / ₂ W	4.50	at 2.70 Ch. a Branch 2 Ws. wide from W
S5 ¹ / ₂ W	6.00	at 4.00 " Foot of Island, supposed Area 10 Acres
S17 ¹ / ₂ E	4.50	Main current on left side
S35 ¹ / ₂ E	4.50	
S48 ¹ / ₂ E	4.00	at 2.50 Ch. Head of Island
S61 ¹ / ₂ E	6.50	at 6.00 " Foot of Is
S38 ¹ / ₂ E	3.50	
S28 ¹ / ₂ E	6.50	
S2 ¹ / ₂ E	4.50	
S26 ¹ / ₂ W	3.00	Head of Island
S53 ¹ / ₂ W	8.50	
S45 ¹ / ₂ W	7.50	at 5.50 Ch. cut through Island
S72 ¹ / ₂ W	10.50	at 6.00 " foot of Island
N78 ¹ / ₂ W	13.93	at 10.00 Head of Island
		to post in line between Sec. 19 & 20
<hr/>		
S87 ¹ / ₂ W	9.00	In Sec. 19 - at 1.00 Ch. foot of Island
S78 ¹ / ₂ W	14.50	
S66 ¹ / ₂ W	5.00	
S76 ¹ / ₂ W	2.50	
N82 ¹ / ₂ W	2.00	
N22 ¹ / ₂ W	2.50	
N33 ¹ / ₂ E	2.00	
N64 ¹ / ₂ E	3.50	
N18 ¹ / ₂ E	5.00	at 4.50 Ch. a Branch 4 Ws. wide from NE

T. 28 N., R. 5 E. 2^d Mer. Ind.^a

Courses Chrs. & Lk.

Remarks

N10°W 4.50

N42°W 4.50

N53°W 3.50 at 1.80 Ch. a Branch 3 lks. wide from N10°W

N67°W 15.00 at 1.00 " Head of Island

N64°W 6.50 at 2.40 Ch. a Spring branch 2 lks. wide from N.
at 5.50 " foot of Island; cut in 3 places by high

N80°W 5.50 water

N86°W 4.00

S85°W 3.50

S66°W 2.20 to Range line or E. Boundary of Ashkum
& Weesionas Reservation.

February 23, 1834.

I hereby certify, that in pursuance of a contract with M. T. Williams, Surveyor General of the United States for the States of Ohio and Indiana, and the Territory of Michigan, bearing date the 27th day of December 1833, and in strict conformity to the Laws of the United States and the Instructions of said Surveyor General, I have surveyed and subdivided into sections, Township N. 28 North, in Range N. 5 East of the 2^d Principal Meridian, in the State of Indiana. And I do further certify that the foregoing are the true and original Field Notes of the said survey and subdivision, executed as aforesaid.

Certified this 27th day of February 1834

Thomas Brown

Deputy Surveyor.

John Stiles

Roland Morgan

North between Sec. 31 & 32 Var. 5.55' E.

21.50 leave Swamp

30.57 over Road, SW

40.00 set of sec. post from which

T. 28 N., R. 5 E. 2^d Mer. Ind.^a
 E. 1st 1st.

a Beech 24 in. dia. bears S 84° W 23 1/2 Ms. dist. 4
 a Sugar 30 " " " N 72° E 30 " "
 45.11 a B. Walnut 18 in. dia.
 66.00 enter Creek 20 Ms. wide course NW
 66.80 leave same
 74.75 along Ash 50 in. dia.
 78.80 a Beech 24 in. dia.
 80.00 set post cor. of sec. 29, 30, 31 & 32 from which
 along Ash 30 in. dia. bears N 76° W 21 Ms. dist. 4
 a Beech 24 " " " N 45° E 9 " "
 Gently rolling rich 2^d rate land. Timber Beech,
 Ash, Sugar, Walnut & 1/2 Hys. Spice &.

East in Random between Sec. 29 & 32

27.50 enter Swamp, N & S

31.00 leave same

40.50 enter Swamp, NW

50.00 leave same

52.53 Intersect 100 Ms. N. of post -

Land &c same as last described.

N 88.54° W. Corrected between Sec. 29 & 32

1.05 a Beech 20 in. dia.

12.53 set off sec. post from which

a Maple 7 in. dia. bears S 26° W 10 Ms. dist. 8

a Cherry 18 " " " N 30° W 28 " "

13.21 a Buckeye 6 " "

41.57 a Beech 26 " "

52.53 to sec. cor.

West in Random between Sec. 30 & 31

16.70 enter Creek 15 Ms. wide course NW

70.88 Intersect W. Boundary 30 Ms. S. of post -

Land &c same as last described.

S 89.46° E. Corrected between Sec. 30 & 31

T. 28 N., R. 5 E., 2^d Mer. Ind.^a
 Ch. 1st 1st

Bearings for corner in W. Boundary:

a Beech 12 in. dia. bears N 60 E 40 lks. dist. 4

a Do 30 " " " S 39 E 63 " "

5.06 a Beech 26 " "

15.42 a Do 20 " "

30.88 set gr. sec. post from which

an Ironwood 12 in. dia. bears N 19 W 21 lks. dist. 8

a Buckeye 7 " " " N 44 E 13 " "

34.10 a W. Elm 24 " "

53.30 a Beech 12 " "

70.88 to sec. cor.

North between Sec. 29 & 30

4.77 a gray Ash 26 in. dia.

9.73 a Red Oak 36 " "

28.05 a gray Ash 30 " "

40.00 set gr. sec. post from which

a Beech 10 in. dia. bears N 60 W 14 lks. dist. 9

a Do 9 " " " S 48 E 18 " "

52.50 an Indian trace, NW

53.17 a Beech 9 in. dia.

72.66 a Do 24 " "

77.50 a Do 20 " "

80.06 set post cor. of sec. 19, 20, 29 & 30 from which

a Beech 24 in. dia. bears S 66 W 24 lks. dist. 8

a Buckeye 6 " " " N 64 E 34 " "

Land &c. same as last described.

East on Ransom between Sec. 20 & 29

27.10 over Spring run 2 lks. wide course N

28.75 over Creek 15 lks. wide course N.

53.96 Intersect 80 lks. N. of post -

Land &c. same as last described.

N 89.10 W. Corrected between Sec. 20 & 29

3.40 a Beech 9 in. dia.

T. 28 N., R. 5 E. 2^d Mer. Ind.^a

Ch. Sk?

- 13.96 set of sec. part from which
 a Beech 36 in. dia. bears S 72 E 28 Ws. dist. 4
 a Do 9 " " " N 27 W 38 " "
 17.23 a Beech 8 " "
 35.56 a Do 22 " "
 53.96 to sec. cor.

West in Random between Sec. 19 & 30

- 8.50 over Branch 7 Ws. wide course N.
 27.75 over Do 14 " " " N.
 43.50 an Indian trace, NE
 50.50 a Do NW
 70.98 Intersect W. Boundary 25 Ws. S. of part -
 First half mile broken 2^d rate land, remainder
 level 1st rate. Timber Beech, Elm, Sugar,
 Buckeye & Upr. Spice &c

S 89.48 E. Connected between Sec. 19 & 30

- Bearings for corner in W. Boundary:
 an Oak 20 in. dia. bears S 72 E 19 Ws. dist. 8
 a Beech 6 " " " N 28 E 36 " "
 17.58 a Beech 30 in. dia.
 30.98 set of sec. part from which
 a Beech 9 in. dia. bears N 35 E 12 Ws. dist. 4
 a R. Oak 5 " " " S 30 W 40 " "
 32.42 a B. Walnut - in. dia.
 70.98 to sec. cor. January 7. 1839

North between Sec. 19 & 20

- 5.26 a Beech 10 in. dia.
 20.60 an Indian trace, E
 21.77 set part on left bank of Old River from which
 a W Beech 9 in. dia. bears S 64 W 15 Ws. dist. 8
 a Buckeye 9 " " " N 31 E 15 " "
 Land level 1st rate. Timber Beech, Sugar,
 Elm, Buckeye, Walnut & Upr. Spice, Pawpaw &c

T. 28 N., R. 5 E. 2^d Mer. Ind. a.
Ch. Sk.

N 22 E. to port in right bank of stream between
Sec. 19 & 20, distant 3.53 Ch.

West between Sec. 17 & 20 N 89.48' W.

0.31 set port in left bank of Owl River from which
a Mulberry 12 in. dia. bears S 139 W 15 Ch. dist. &
a Hickory 6 " " " N 109 W 6 " "

Measured across stream 4.37 Ch. to port in
line between Sec. 17 & 20 in right bank, bearing S 87 E

0.04 a Buckeye 20 in. dia.

11.30 a Hackberry 24 " "

16.00 set port in left bank of Owl River from which

a Red Oak 20 in. dia. bears S 57 W 14 Ch. dist. &

a Hackberry 10 " " " N 59 E 17 " "

Measured over stream and island to port in
right bank between Sec. 17 & 20, bearing S.
88 1/2 W. 15 Ch. distant.

Level 1st rate land. Timber Beech, Ash, Elm,
Buckeye, Walnut & V. Upr. Pawpaw, Geopsema
&c. January 8. 1839

Meanders of Owl River. Left bank up
stream. Beginning at port in W. Boundary.

Course Ch. Sk.	Remarks.
N 72 1/2 E 0.51	In Sec. 19
S 88 1/2 E 4.84	
S 80 1/2 E 3.84	
S 63 1/2 E 5.39	at 2.50 Ch. pass Towhead - at end pass Willow bar
S 56 1/2 E 9.80	at 7.50 Ch. pass Sycamore bar - at end Im- provement in right
East 4.89	pass Sycamore bar
S 72 E 3.07	
S 55 1/2 E 7.04	
S 16 W 4.89	

T. 28 N., R. 5 E. 2. Mer. Ind. a.

Course	Ch.	Remarks.
S 21 1/4 W	9.70	
S 42 E	5.35	
N 67 1/4 E	13.11	at 5.30 Ch. pass mouth of a Branch 14
N 79 E	7.28	1/2 m. wide Course N
N 84 1/2 E	4.70	pass mouth of a Branch 14 1/2 m. wide c. N.
N 84 1/4 E	4.94	
S 84 E	5.17	
N 74 E	1.18	to port in line between Sec. 19 & 20

S 82 E	16.24	In Sec. 20 - pass Low head
N 71 3/4 E	6.00	
N 63 E	9.12	
S 71 1/2 E	1.57	at 6.50 Ch. pass mouth of a Branch 10 1/2 m. wide course NE.
N 44 E	10.83	at 6.00 Ch. pass Sycamore bar
N 32 1/2 E	6.00	
N 15 1/2 W	10.31	
N 42 W	11.75	at 8.50 Ch. pass foot of Sycamore bar
N 51 W	10.10	at 4.50 " pass head of do
N 20 E	5.82	pass foot of Island N 65 W
N 49 1/2 E	10.00	
N 57 1/2 E	6.77	
N 43 E	0.88	to port in line between Sec. 17 & 20

N 53 E	6.57	In Sec. 17 - pass head of Island N 6 W
N 89 E	4.70	
S 54 E	6.90	
S 39 1/2 E	0.09	to port in line between Sec. 17 & 20.

S 39 1/2 E	0.48	In Sec. 20 - to port in E. Boundary of Reservation. January 8. 1839
------------	------	---

General description.

The largest portion of the land in this Township is 2^d rate, soil from 6 to 8 inches deep.

Elin is the prevailing timber, Beech next

T. 28 N., R. 5 E. 2^d Mer. Ind.^a

and Sugar are abundant. On the level land adjacent to Eel River Elm, Buckeye are most prevalent. Timber tall and thick on the ground.

I do hereby certify that in pursuance of a contract with R. T. Lytle, Surveyor General of the United States for the States of Ohio, Indiana and Michigan, dated the 10th day of May 1838, I have surveyed Township N^o 28 North, of Range N^o 5 East of the 2^d Principal Meridian, in the State of Indiana, conformably to the laws of the United States and the Instructions of said Surveyor General; and that the foregoing are the true and original field notes of said survey executed as aforesaid.

Certified this 10th day of January 1839

Arthur T. C. Vance

Deputy Surveyor

John F. Sims } Chain carriers
David X Frazier }
mark

John P. Johnson, Marker

I certify that the foregoing transcript of Field Notes of the survey of Township N^o 28 North, of Range N^o 5 East of the 2^d Principal Meridian, in the State of Indiana, has been compared with the original on file in this office, and found to be correct.

Surveyor General's Office,
Cincinnati, January 30, 1845

William Johnston
Sur. Genl.

Correct